

RN
VO
.....

RRRRRRRR	NN	NN	FFFFFFFF	EEEEEEEEEE	RRRRRRRR	MM	MM	
RRRRRRRR	NN	NN	FFFFFFFF	EEEEEEEEEE	RRRRRRRR	MM	MM	
RR	RR	NN	FF	EE	RR	RR	MMMM	MMMM
RR	RR	NN	FF	EE	RR	RR	MMMM	MMMM
RR	RR	NNNN	FF	EE	RR	RR	MM	MM
RR	RR	NNNN	FF	EE	RR	RR	MM	MM
RRRRRRRR	NN	NN	FFFFFFFF	EEEEEEEEEE	RRRRRRRR	MM	MM	
RRRRRRRR	NN	NN	FFFFFFFF	EEEEEEEEEE	RRRRRRRR	MM	MM	
RR	RR	NN	FF	EE	RR	RR	MM	MM
RR	RR	NN	FF	EE	RR	RR	MM	MM
RR	RR	NN	FF	EE	RR	RR	MM	MM
RR	RR	NN	FF	EE	RR	RR	MM	MM
RR	RR	NN	FF	EE	RR	RR	MM	MM
RR	RR	NN	FF	EE	RR	RR	MM	MM
RR	RR	NN	FF	EEEEEEEEEE	RR	RR	MM	MM
RR	RR	NN	FF	EEEEEEEEEE	RR	RR	MM	MM

```

LL          IIIIII          SSSSSSSS
LL          IIIIII          SSSSSSSS
LL          II             SS
LL          II             SS
LL          II             SS
LL          II             SS
LL          II             SSSSSS
LL          II             SSSSSS
LL          II             SS
LL          II             SS
LL          II             SS
LL          II             SS
LLLLLLLLLLLL IIIIII          SSSSSSSS
LLLLLLLLLLLL IIIIII          SSSSSSSS

```



```
0001 0 %TITLE 'Build error message data base.'
0002 0 MODULE RNFERM ( IDENT = 'V04-000',
0003 0 ) =
0004 1 BEGIN
0005 1
0006 1 *****
0007 1 *
0008 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0009 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0010 1 * ALL RIGHTS RESERVED.
0011 1 *
0012 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0013 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0014 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0015 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0016 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0017 1 * TRANSFERRED.
0018 1 *
0019 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0020 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0021 1 * CORPORATION.
0022 1 *
0023 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0024 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0025 1 *
0026 1 *
0027 1 *****
0028 1
0029 1 ++
0030 1 FACILITY: DSR (Digital Standard RUNOFF) / DSRPLUS
0031 1
0032 1 ABSTRACT: Table of messages. Contains no executable code.
0033 1 This file declares a complete list of error messages and other
0034 1 messages that are used by RUNOFF. It also generates the table
0035 1 of indices into the message table.
0036 1
0037 1 ENVIRONMENT: Transportable
0038 1
0039 1 AUTHOR: R.W.Friday
0040 1
0041 1 CREATION DATE: June, 1978
```


RNFERM
V04-000

Build error message data base.
Revision History

C 2
16-Sep-1984 01:35:09
14-Sep-1984 13:07:51

VAX-11 Bliss-32 V4.0-742
[RUNOFF.SRC]RNFERM.BLI;1

Page 2
(2)

:	43	0042	1	%SBIT' 'Revision History'
:	44	0043	1	
:	45	0044	1	MODIFIED BY:
:	46	0045	1	
:	47	0046	1	011 REM00011 Ray Marshall 23-Mar-1984
:	48	0047	1	Added conditionalizations for foreign language support. Added
:	49	0048	1	pointer to German translation of error messages.
:	50	0049	1	
:	51	0050	1	010 REM00010 Ray Marshall 10-May-1983
:	52	0051	1	RNFXFL has been removed, so the reference herein has been
:	53	0052	1	changed to refer to RNFWFR.
:	54	0053	1	
:	55	0054	1	009 KAD00009 Keith Dawson 07-Mar-1983
:	56	0055	1	Global edit of all modules. Updated module names, ids, and
:	57	0056	1	copyright dates. Changed require files to BLISS library.
:	58	0057	1	
:	59	0058	1	--


```

: 61      0059 1 %SBTTL 'Module Level Declarations'
: 62      0060 1
: 63      0061 1 | TABLE OF CONTENTS:
: 64      0062 1 |
: 65      0063 1 |
: 66      0064 1 | INCLUDE FILES:
: 67      0065 1 |
: 68      0066 1 |
: 69      0067 1 | LIBRARY 'NXPORT:XPORT';          ! XPORT Library
: 70      0068 1 | REQUIRE 'REQ:RNODEF';          ! RUNOFF variant definitions
: 71      0199 1 |
: 72      U 0200 1 | %IF DSRPLUS %THEN
: 73      U 0201 1 | LIBRARY 'REQ:DPLLIB';          ! DSRPLUS BLISS Library
: 74      0202 1 | %ELSE
: 75      0203 1 | LIBRARY 'REQ:DSRLIB';          ! DSR BLISS Library
: 76      0204 1 | %FI
: 77      0205 1 |
: 78      U 0206 1 | %IF german %THEN
: 79      U 0207 1 | REQUIRE 'REQ:MSGTXTGA.REQ';      !ERROR_LIST German macro definitions
: 80      0208 1 | %ELSE
: 81      U 0209 1 | %IF french %THEN
: 82      U 0210 1 | REQUIRE 'REQ:MSGTXT.REQ';      !ERROR_LIST American macro definitions
: 83      0211 1 | %ELSE
: 84      U 0212 1 | %IF italian %THEN
: 85      U 0213 1 | REQUIRE 'REQ:MSGTXT.REQ';      !ERROR_LIST American macro definitions
: 86      0214 1 | %ELSE
: 87      0215 1 | REQUIRE 'REQ:MSGTXT.REQ';      !ERROR_LIST American macro definitions
: 88      0828 1 | %FI %FI %FI
: 89      0829 1 |
: 90      0830 1 |
: 91      0831 1 | GLOBAL DEFINITIONS
: 92      0832 1 |
: 93      0833 1 | !===== GENERATE -- phase I -- GLOBAL LITERALS =====
: 94      0834 1 |
: 95      U 0835 1 | %IF DSRPLUS %THEN          !Use DSRPLUS facility code
: 96      U 0836 1 | COMPILETIME
: 97      U 0837 1 | $runoff$constant = 0 %bliss32(+228^16+1^15) ;
: 98      0838 1 | %ELSE          !Use RUNOFF facility code
: 99      0839 1 | COMPILETIME
: 100     0840 1 | $runoff$constant = 0 %bliss32(+150^16+1^15) ;
: 101     0841 1 | %FI
: 102     0842 1 | COMPILETIME $runoff$base_val = 0;
: 103     0843 1 | COMPILETIME $runoff$increment = 8;
: 104     0844 1 | COMPILETIME $runoff$k_w = 0;
: 105     0845 1 | COMPILETIME $runoff$k_s = 1;
: 106     0846 1 | COMPILETIME $runoff$k_e = 2;
: 107     0847 1 | COMPILETIME $runoff$k_i = 3;
: 108     0848 1 | COMPILETIME $runoff$k_f = 4;
: 109     0849 1 | COMPILETIME $runoff$k_z = 5;
: 110     0850 1 |
: 111     M 0851 1 | MACRO GENERATE(SEV, CODE, TEXT, CTEXT)=
: 112     M 0852 1 |     %NAME('RNF',CODE) = $runoff$constant + $runoff$base_val
: 113     M 0853 1 |     + %NAME('$runoff$k_',sev)
: 114     M 0854 1 |     %ASSIGN ( $runoff$base_val, $runoff$base_val + $runoff$increment )
: 115     0855 1 | %;
: 116     0856 1 | !Sample call: GENERATE('E','BMS','Bad margin specification: ''%S'',''%S''') .
: 117     0857 1 | %IF %BLISS(BLISS32) %THEN
```


RNFERM
V04-000

Build error message data base.
MSGTXT.REQ -- Other macro definitions

E 2
16-Sep-1984 01:35:09 VAX-11 Bliss-32 V4.0-742
14-Sep-1984 13:07:51 [RUNOFF.SRC]RNFERM.BLI;1

Page 4
(3)

```
: 118      0858 1 LITERAL ERROR_LIST;
: 119      U 0859 1 %ELSE
: 120      U 0860 1 !SWITCHES LIST (EXPAND,TRACE);
: 121      U 0861 1 GLOBAL LITERAL ERROR_LIST;
: 122      U 0862 1 !SWITCHES LIST (NOEXPAND,NOTRACE);
: 123      0863 1 %FI
: 124      0864 1 GLOBAL LITERAL LAST RNF = RNFWFR;
: 125      0865 1 UNDECLARE %QUOTE GENERATE;
: 126      0866 1 !===== GENERATE -- phase II -- message vector =====
: 127      M 0867 1 MACRO GENERATE(SEV, CODE, TEXT, CTEXT)=
: 128      M 0868 1     CH$PTR( UPLIT (CSTRING( ERROR_STRING(SEV,CODE,TEXT,CTEXT)) ) )
: 129      0869 1 %;
: 130      0870 1 GLOBAL BIND MSGTXT = UPLIT( ERROR_LIST ):VECTOR; !Set up table of messages.
: 131      0871 1
: 132      0872 1 END
: 133      0873 0 ELUDOM
```

!declare local list of message names

!declare global list of message names

!Consistency check at run time.

!End of module

.TITLE RNFERM Build error message data base.
.IDENT \V04-000\

.PSECT \$SPLITS,NOWRT,NOEXE,2

66	20	74	78	65	74	20	65	67	61	73	73	65	4D	35	00000	P.AAB:	.ASCII	\5Message text file doesn't align with VM\
69	6C	61	20	74	27	6E	73	65	6F	64	20	65	6C	69	0000F			
00	65	6C	69	66	4D	56	20	68	74	69	77	20	6E	67	0001E			
															53	00028	.ASCII	\S message file\<0><0>
															00	00037		
6E	6F	20	64	6E	61	6D	6D	6F	63	20	65	65	53	34	00038	P.AAC:	.ASCII	\4See command on input line %C of page %I\
20	43	25	20	65	6E	69	6C	20	74	75	70	6E	69	20	00047			
															6F	00056		
00	00	22	53	25	22	20	65	6C	69	66	20	66	6F	20	00060		.ASCII	\ of file '%S'\<0><0><0>
															00	0006F		
65	70	73	20	6E	69	67	72	61	6D	20	64	61	42	1E	00070	P.AAD:	.ASCII	<30>\Bad margin specification: '%S'\<0>
53	25	22	20	3A	6E	6F	69	74	61	63	69	66	69	63	0007F			
															00	0008E		
6C	6C	69	20	72	6F	20	67	6E	69	73	73	69	4D	26	00090	P.AAE:	.ASCII	\&Missing or illegal variable name: '%S'-
6E	20	65	6C	62	61	69	72	61	76	20	6C	61	67	65	0009F			\<0>
															61	000AE		
64	65	74	63	65	70	78	65	20	61	6D	6D	6F	43	1D	000B8	P.AAF:	.ASCII	<29>\Comma expected, missing: '%S'\<0>
22	53	25	22	20	3A	67	6E	69	73	73	69	6D	20	2C	000C7			
															00	000D6		
															00	000D7		
6C	20	74	75	70	74	75	6F	20	74	27	6E	61	43	4E	000D8	P.AAG:	.ASCII	\NCan't output line correctly -- margins \
2D	20	79	6C	74	63	65	72	72	6F	63	20	65	6E	69	000E7			
															2D	000F6		
69	4C	20	20	2E	77	6F	72	72	61	6E	20	6F	6F	74	00100		.ASCII	\too narrow. Line will not be justified-
20	65	62	20	74	6F	6E	20	6C	6C	69	77	20	65	6E	0010F			\<0>
															6A	0011E		
69	72	74	73	20	72	65	74	63	61	72	61	68	43	2A	00128	P.AAH:	.ASCII	*Character string expected, not found: '\
6F	6E	20	2C	64	65	74	63	65	70	78	65	20	67	6E	00137			
															74	00146		
															25	00150		
75	73	20	74	6F	6E	20	64	6E	61	6D	6D	6F	43	1B	00154	P.AAI:	.ASCII	\%S'\<0>
															70	00163		
6E	69	62	20	6E	65	70	6F	20	74	27	6E	61	43	22	00170	P.AAJ:	.ASCII	\'Can't open binary output file '%S'\<0>
65	6C	69	66	20	74	75	70	74	75	6F	20	79	72	61	0017F			

[illegible]

61	69	72	61	76	20	79	6E	61	6D	20	6F	6F	54	00	003FF		.ASCII	<0>
			00	00	22	53	25	22	20	3A	73	65	6C	18	00400	P.AAZ:	.ASCII	<24>\Too many variables: '%S'\<0><0>
00	00	64	65	74	72	6F	62	61	20	65	6C	69	46	00	0041B		.ASCII	<0>
														0C	0041C	P.ABA:	.ASCII	<12>\File aborted\<0><0><0>
72	65	74	63	61	72	61	68	63	20	67	61	6C	46	00	0042B		.ASCII	<0>
69	20	79	64	61	65	72	6C	61	20	22	53	25	22	20	0042C	P.ABB:	.ASCII	'\Flag character '%S' already in use\<0>
														6E	0043B		.ASCII	<0>
64	6E	65	20	74	61	20	67	61	6C	66	20	53	25	1E	0044A		.ASCII	<30>\%S flag at end of line ignored\<0>
65	72	6F	6E	67	69	20	65	6E	69	6C	20	66	6F	20	0045F	P.ABC:	.ASCII	<0>
														64	0046E		.ASCII	<0>
77	6F	6C	6C	61	20	74	6F	6E	20	67	61	6C	46	26	00470	P.ABD:	.ASCII	\&Flag not allowed in this context: '%S'-'
74	6E	6F	63	20	73	69	68	74	20	6E	69	20	64	65	0047F		.ASCII	\<0>
														65	0048E		.ASCII	<0>
27	6E	6F	77	20	73	65	74	6F	6E	74	6F	6F	46	1B	00498	P.ABE:	.ASCII	<27>\Footnotes won't fit on page\
														74	004A7		.ASCII	<0>
65	74	6F	6E	74	6F	6F	66	20	6E	65	76	69	47	34	004B4	P.ABF:	.ASCII	\4Given footnote count incorrect. Correct\
63	65	72	72	6F	63	6E	69	20	74	6E	75	6F	63	20	004C3		.ASCII	<0>
														74	004D2		.ASCII	<0>
00	00	4E	25	20	20	73	69	20	65	75	6C	61	76	20	004DC		.ASCII	\ value is %N\<0><0><0>
														00	004EB		.ASCII	<0>
6F	20	72	65	66	66	75	62	20	74	75	70	6E	49	1B	004EC	P.ABG:	.ASCII	<27>\Input buffer overflow: '%S'\
														76	004FB		.ASCII	<0>
61	6C	70	73	69	64	20	64	69	6C	61	76	6E	49	20	00508	P.ABH:	.ASCII	\ Invalid display descriptor: '%S'\<0><0>
22	20	3A	72	6F	74	70	69	72	63	73	65	64	20	79	00517		.ASCII	<0>
														25	00526		.ASCII	<0>
6F	6F	66	20	6E	69	20	6C	61	67	65	6C	6C	49	19	0052C	P.ABI:	.ASCII	<25>\Illegal in footnote: '%S'\<0><0>
														74	0053B		.ASCII	<0>
														0B	00548	P.ABJ:	.ASCII	<11>\^%S ignored\
6E	61	6D	6D	6F	63	20	6C	61	67	65	6C	6C	49	15	00554	P.ABK:	.ASCII	<21>\Illegal command: '%S'\<0><0>
														64	00563		.ASCII	<0>
63	69	67	6F	6C	20	6C	61	6E	72	65	74	6E	49	18	0056C	P.ABL:	.ASCII	<24>\

[illegible]

RNFERM
V04-000

Build error message data base.
MSGTXT.REQ -- Other macro definitions

1 2
16-Sep-1984 01:35:09
14-Sep-1984 13:07:51

VAX-11 Bliss-32 V4.0-742
[RUNOFF.SRC]RNFERM.BLI;1

Page 8
(3)

61	64	6E	61	74	53	20	4C	41	54	49	47	49	44	36	00930	P.ACH:	.ASCII	\6DIGITAL Standard Runoff Version %V: No \
69	73	72	65	56	20	66	66	6F	6E	75	52	20	64	72	0093F			
					20	6F	4E	20	3A	56	25	20	6E	6F	0094E			
64	65	74	63	65	74	65	64	20	73	72	6F	72	72	65	00958		.ASCII	\errors detected\<0>
														00	00967			
45	54	4F	4E	2F	54	53	49	4C	20	44	4E	45	2E	34	00968	P.ACI:	.ASCII	\4.END LIST/NOTE not in same file as .LIS\
69	66	20	65	6D	61	73	20	6E	69	20	74	6F	6E	20	00977			
					53	49	4C	2E	20	73	61	20	65	6C	00986			
00	00	22	53	25	22	20	3A	45	54	4F	4E	2E	2F	54	00990		.ASCII	\T/.NOTE: '%S'\<0><0><0>
														00	0099F			
74	20	64	65	74	73	65	6E	20	73	65	6C	69	46	1B	009A0	P.ACJ:	.ASCII	<27>\Files nested too deep: '%S'\
		22	53	25	22	20	3A	70	65	65	64	20	6F	6F	009AF			
67	61	73	73	65	6D	20	6C	61	67	65	6C	6C	49	18	009BC	P.ACK:	.ASCII	<24>\Illegal message: RNFPCL\<0><0>
			00	00	31	43	50	46	4E	52	20	20	3A	65	009CB			
														00	009D7		.ASCII	<0>
72	6F	63	65	72	20	78	65	64	6E	69	20	4E	25	21	009D8	P.ACL:	.ASCII	\!%N index record%X written to '%B'\<0>
20	6F	74	20	6E	65	74	74	69	72	77	20	58	25	64	009E7			
										00	22	42	25	22	009F6			
														00	009FB		.ASCII	<0>
6F	63	2D	66	6F	2D	65	6C	62	61	74	20	4E	25	2D	009FC	P.ACM:	.ASCII	\-%N table-of-contents record%X written t\
58	25	64	72	6F	63	65	72	20	73	74	6E	65	74	6E	00A0B			
					74	20	6E	65	74	74	69	72	77	20	00A1A			
							00	00	22	42	25	22	20	6F	00A24		.ASCII	\o '%B'\<0><0>
74	69	72	77	20	58	25	65	67	61	70	20	4E	25	19	00A2C	P.ACN:	.ASCII	<25>\%N page%X written to '%O'\<0><0>
		00	00	22	4F	25	22	20	6F	74	20	6E	65	74	00A3B			
6F	77	20	72	65	62	6D	75	6E	20	65	67	61	50	1E	00A48	P.ACO:	.ASCII	<30>\Page number won't fit on title\<0>
6C	74	69	74	20	6E	6F	20	74	69	66	20	74	27	6E	00A57			
														00	00A66			
20	67	6E	69	72	74	73	20	64	65	74	6F	75	51	1C	00A68	P.ACP:	.ASCII	<28>\Quoted string too long: '%S'\<0>
00	22	53	25	22	20	3A	67	6E	6F	6C	20	6F	6F	74	00A77			
														00	00A86		.ASCII	<0><0>
74	20	64	72	6F	63	65	72	20	74	75	70	6E	49	25	00A88	P.ACQ:	.ASCII	\%Input record too long: truncated '%S'-
61	63	6E	75	72	74	20	3A	67	6E	6F	6C	20	6F	6F	00A97			\<0>
						00	22	53	25	22	20	64	65	74	00AA6			
														00	00AAF		.ASCII	<0>
6E	20	45	53	4C	45	2E	2F	46	49	44	4E	45	2E	31	00AB0	P.ACR:	.ASCII	\1.ENDIF/.ELSE not in same file as .IF/.I\
65	6C	69	66	20	65	6D	61	73	20	6E	69	20	74	6F	00ABF			
					49	2E	2F	46	49	2E	20	73	61	20	00ACE			
			00	00	22	53	25	22	20	3A	54	4F	4E	46	00ADB		.ASCII	\FNOT: '%S'\<0><0>
61	68	63	20	64	65	74	63	69	72	74	73	65	52	41	00AE4	P.ACS:	.ASCII	\ARestricted character '^<92>\' (octal \
63	6F	28	20	22	5C	5E	22	20	72	65	74	63	61	72	00AF3			
														00	00B02			
64	65	72	65	74	6E	75	6F	63	6E	65	20	29	34	33	00B06		.ASCII	\34) encountered in text, ignored\<0><0>
72	6F	6E	67	69	20	2C	74	78	65	74	20	6E	69	20	00B15			
														00	00B24			
65	74	73	65	6E	20	79	6E	61	6D	20	6F	6F	54	2A	00B28	P.ACT:	.ASCII	*Too many nested .NOTEs and/or .LISTs: '\
72	6F	2F	64	6E	61	20	73	45	54	4F	4E	2E	20	64	00B37			
					22	20	3A	73	54	53	49	4C	2E	20	00B46			
														00	00B50		.ASCII	\%S'\<0>
														25	00B54	P.ACU:	.ASCII	<4>\'%S'\<0><0><0>
65	77	6F	6C	6C	61	20	74	78	65	74	20	6F	4E	2C	00B5C	P.ACV:	.ASCII	\,No text allowed after .REQUIRE command:\
52	49	55	51	45	52	2E	20	72	65	74	66	61	20	64	00B6B			
					3A	64	6E	61	6D	6D	6F	63	20	45	00B7A			
							00	00	00	22	53	25	22	20	00B84		.ASCII	\ '%S'\<0><0><0>
6F	63	20	64	6E	65	20	77	65	66	20	6F	6F	54	14	00B8C	P.ACW:	.ASCII	<20>\Too few end commands\<0><0><0>
					00	00	00	73	64	6E	61	6D	6D	00	00B9B			
6E	74	6F	6F	66	20	79	6E	61	6D	20	6F	6F	54	2B	00BA4	P.ACX:	.ASCII	\+Too many footnotes, excess footnotes me\

RNFERR
V04-000

Build error message data base.
MSGTXT.REQ -- Other macro definitions

J 2
16-Sep-1984 01:35:09
14-Sep-1984 13:07:51

VAX-11 Bliss-32 V4.0-742
[RUNOFF.SRC]RNFERR.BLI;1

Page 9
(3)

```
6F 66 20 73 73 65 63 78 65 20 2C 73 65 74 6F 00BB3
65 6D 20 73 65 74 6F 6E 74 6F 00BC2
20 65 67 61 70 20 79 6E 61 6D 20 64 65 67 72 00BCC
45 47 41 50 2F 20 6E 6F 20 73 20 6F 6F 54 28 00BD0 P.ACY: .ASCII \rged\
65 69 66 69 6C 61 75 71 20 53 00BDF \((too many page ranges on /PAGES qualifie\
00 00 00 72 00BF8
73 65 76 61 73 20 79 6E 61 6D 20 6F 6F 54 38 00BFC P.ACZ: .ASCII \r\<0><0><0>
67 6E 69 64 6E 6F 70 73 65 72 72 6F 63 20 2C 00C0B \8Too many saves, corresponding .SAVE and\
64 6E 61 20 45 56 41 53 2E 20 00C1A
72 6F 6E 67 69 20 45 52 4F 54 53 45 52 2E 20 00C24 .ASCII \ .RESTORE ignored\<0><0><0>
00 00 00 64 65 00C33
73 20 62 61 74 20 79 6E 61 6D 20 6F 6F 54 28 00C38 P.ADA: .ASCII \+Too many tab settings; excess ignored: \
73 73 65 63 78 65 20 3B 73 67 6E 69 74 74 65 00C47
20 3A 64 65 72 6F 6E 67 69 20 00C56
49 52 41 56 2F 20 79 6E 61 6D 20 6F 6F 54 12 00C60 P.ADB: .ASCII \'%S'\
00 73 54 4E 41 00C64 .ASCII <18>\Too many /VARIANTs\<0>
3A 67 6E 6F 6C 20 6F 6F 74 20 74 78 65 54 13 00C78 P.ADC: .ASCII <19>\Text too long: '%S'\
22 53 25 22 20 00C87
62 6D 79 73 20 64 65 6E 69 66 65 64 6E 55 16 00C8C P.ADD: .ASCII <22>\Undefined symbol: '%S'\<0>
00 22 53 25 22 20 3A 6C 6F 00C9B
20 64 6E 65 20 64 65 68 63 74 61 6D 6E 55 1B 00CA4 P.ADE: .ASCII <27>\Unmatched end command: '%S'\
22 53 25 22 20 3A 64 6E 61 6D 6D 6F 63 00CB3
20 65 6C 62 61 72 65 76 6F 63 65 72 6E 55 46 00CC0 P.ADF: .ASCII \FUnrecoverable error processing record %\
6E 69 73 73 65 63 6F 72 70 20 72 6F 72 72 65 00CCF
25 20 64 72 6F 63 65 72 20 67 00CDE
66 6F 20 49 25 20 65 67 61 70 20 6E 6F 20 43 00CE8 .ASCII \C on page %I of input file '%F'\<0>
46 25 22 20 65 6C 69 66 20 74 75 70 6E 69 20 00CF7
00 22 00D06
72 20 64 65 7A 69 6E 67 6F 63 65 72 6E 55 1A 00D08 P.ADG: .ASCII <26>\Unrecognized request: '%N'\<0>
00 22 4E 25 22 20 3A 74 73 65 75 71 65 00D17
69 20 74 6F 6E 20 45 52 4F 54 53 45 52 2E 31 00D24 P.ADH: .ASCII \1.RESTORE not in same file as .SAVE/.SAV\
20 73 61 20 65 6C 69 66 20 65 6D 61 73 20 6E 00D33
56 41 53 2E 2F 45 56 41 53 2E 00D42
00 00 22 53 25 22 20 3A 4C 4C 41 45 00D4C
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00D58 P.AAA: .ASCII \EALL: '%S'\<0><0>
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00D70 .ADDRESS P.AAB, P.AAC, P.AAD, P.AAE, P.AAF, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00D88 P.AAG, P.AAH, P.AAI, P.AAJ, P.AAK, P.AAL, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00DA0 P.AAM, P.AAN, P.AAO, P.AAP, P.AAQ, P.AAR, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00DB8 P.AAS, P.AAT, P.AAU, P.AAV, P.AAW, P.AAX, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00DD0 P.AAY, P.AAZ, P.ABA, P.ABB, P.ABC, P.ABD, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00DE8 P.ABE, P.ABF, P.ABG, P.ABH, P.ABI, P.ABJ, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00E00 P.ABK, P.ABL, P.ABM, P.ABN, P.ABO, P.ABP, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00E18 P.ABQ, P.ABR, P.ABS, P.ABT, P.ABU, P.ABV, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00E30 P.ABW, P.ABX, P.ABY, P.ABZ, P.ACA, P.ACB, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00E48 P.ACC, P.ACD, P.ACE, P.ACF, P.ACG, P.ACH, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00E60 P.ACI, P.ACJ, P.ACK, P.ACL, P.ACM, P.ACN, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00E78 P.ACO, P.ACP, P.ACQ, P.ACR, P.ACS, P.ACT, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00E90 P.ACU, P.ACV, P.ACW, P.ACX, P.ACY, P.ACZ, -
00000000' 00000000' 00000000' 00000000' 00000000' 00000000' 00EA8 P.ADA, P.ADB, P.ADC, P.ADD, P.ADE, P.ADF, -
P.ADG, P.ADH
```

LAST RNF==
MSGTXT==

9863840
P.AAA

RNFERM
V04-000

Build error message data base.
MSGTXT.REQ -- Other macro definitions

K 2
16-Sep-1984 01:35:09
14-Sep-1984 13:07:51

VAX-11 Bliss-32 V4.0-742
[RUNOFF.SRC]RNFERM.BLI;1

Page 10
(3)

PSECT SUMMARY

Name	Bytes	Attributes
\$PLITS	3756	NOVEC,NOWRT, RD ,NOEXE,NOSHR, LCL, REL, CON,NOPIC,ALIGN(2)
. ABS .	0	NOVEC,NOWRT,NORD ,NOEXE,NOSHR, LCL, ABS, CON,NOPIC,ALIGN(0)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[SYSLIB]XPORT.L32;1	590	0	0	252	00:00.1
_\$255\$DUA28:[RUNOFF.SRC]DSRLIB.L32;1	1248	0	0	86	00:00.3

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LIS\$:RNFERM/OBJ=OBJ\$:RNFERM MSRC\$:RNFERM/UPDATE=(ENH\$:RNFERM)

; Size: 0 code + 3756 data bytes
; Run Time: 00:19.7
; Elapsed Time: 00:41.1
; Lines/CPU Min: 2654
; Lexemes/CPU-Min: 97258
; Memory Used: 108 pages
; Compilation Complete

0348

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY